

G. R. S IX-5]

Previous references.

1920.

(none)

Later references.

2nd 1-30 (13, 15 4)

Relief
Preserve

File No 42-20

Serial Nos 46, 47, 48
50, 51 & 52

GENERAL AND REVENUE SECRETARIAT.

Serial Nos

Part B for July 22

SUBJECT

Duplication of the Water Supply in
the Bangalore City

86 52

To

The Chief Engineer, The President,
A City Municipal and the
Commissioner

No. 2 137-139/d 8 7 22

Sanctions the proposed estimate
for duplication of the Water Supply in
from Yelahanra Gate to Circle
at Bangalore

14/7
21/7

3. B. S. 11]

1921-22

GENERAL AND REVENUE SECRETARIAT.

(. Cont)

NOTES

File No. 42-20.

FILE HEADING

Duplication of the water supply main
& in the Bangalore

From

No.	Dated		Received
Diary No.	Enclos	Spare Copies.	Serial No.

BRIEF ABSTRACT OF LETTER.

NOTES AND ORDERS.

Serial
No

45

Letter No 140 of 22 10-20 from the
Chairman, City Improvement
Committee

Forwards a copy of the
minutes of the City Council and
the Council President, agreeing to bear the
entire cost for laying a duplicate
water main for supplying water to the
Vivekwarapuram Extension and for
improving the water supply of the
Extension.

47

Letter No 188 of 20 12 21 from the
Chairman.

In continuation of the above, submits
a copy of the resolution of the City Im-
provement Committee requesting Govt
to order the work of laying of the -
duplicate water main being on

48

Do No 253 of 23-2-22 from do

In continuation of No 45 & 46, refers to
the circumstances stated and recommends
to the Government estimate for laying
the Vivekwarapuram Extension

not to be
file

Serial
No

and stating in regard to the water supply to the Intérieur, that an estimate for Rs 97,155 for laying the duplicate main was received from the Intérieur including Imp^t, San^d Circle and that the same was returned to them only countersigned by the Chief Engineer and himself with an undertaking to place necessary funds at the disposal of the Water Supply Dept. and provide outways and means for meeting cost of Rs 70,172.10 attributable to the Intérieur Intérieur.

Letter no B 6875 of 14.3.20 from the Chief Eng^r of Mysore.

Forwards for sanction duly verified the estimate amounting to Rs 97,155/- for duplicating the water supply main from Chelabanka up to the Circle in the Bas Intérieur with a view to afford supply to the Venuwara Puram En and other intensions of the city.

Oke

Serial
No

2 The execution of the work will be undertaken by the Water Supply Dept. of the P. W. D. and the Estimates and Tools and Plant charges will have to be added to the estimate, which will bring the amount to Rs. 4642/

3 This is a self-financing scheme of the Municipal Council, as the estimate is proposed to be met entirely from Municipal Funds (i.e. partly from the sale proceeds of rates in the Riverwarapuram Extension, which is purely a Municipal concern and far from the General Funds of the Municipality.)

4 The President has proposed to place necessary funds for the disposal of the water supply Dept. according to requirements.

5 The proposed scheme is set up with a view to steadily improve the existing supply of water to the various portions of Chamarajpet Taluk and Southern part of P. D. Extension, where the water supply is

G. R. S. III 2,

General and Revenue
Secretariat

File No. 62 of 1912

5th

Serial
No

request sanction
for this

difficulty is to send to Secretary for
to the Board of Council and
the City Improvement Committee (approved of the estimate and request
early sanction thereto

Submitted for orders

Yr
18 3 22 (Reverse)

20/3/12

to the adding of establishments
charges & rates to estimate
Rs 97115-6-1, 14642, the ml. Council
has asked if they are prepared to pay
accepted & to be obtained

20/3/12

9 draft is sent for approval
4/5
20 3 22

10 (Reverse)

20/3/12

REVENUE &
LOCAL SELF GOVT
BRANCH

11 20/3/12

6345

G R S III 2,

General and Revenue
Secretariat.

M.C. File No. 42 of 1920

Serial
No

50

To The president, Munt Council Ba gal c
No of 5562/125 3 22

Requests to report whether the Munt
Council is agreed to bear the amount
of the estimate as raised by the P N D

Letter of 227 of 11 H 22 from the
President, Prangalor of Munt Council
Submits a copy of the Council's
resolution sanctioning the extra c
towards Establishment and Tools and
Plant charges and states that the c
of 187 is to be calculated on —
Rs 96,620/- the total amount of the
estimate for duplicating the m
which raises the previous estimate
to Rs 1,12,631 - and requests early
sanction to the said estimate.

11 Submitted ~~for order~~ ~~was~~
~~sent to para 8 Super.~~ The estimate pre-
~~viously~~ viously submitted by the Chief Engr
15 4 22 was Rs 97,155 inclusive of an
estimate amounting to Rs 1,535/- being
the cost of building the Chamar
5th Road, which work has since

6345 6

G. R. S. III-2,

General and Revenue
Secretary.

nl File No. 42 of 1910

Serial
No.

found unnecessary for the present
13 The estimate has to be same
as is (Rs 95,620 + 15% of extra
+ Plant charges on Rs 95,620) Rs 1,1

file can be
to the (Hqrs)

Submitted for orders will
ref to para 5 infra

42
15.4 (1/4 Dewar)

By
15/4/10

flag

The entire category work will be met by
the City Munt Council. The estimate may be
sanctioned.

15 The Supd Eng^r has also written
early sanction as the supply of
other extensions is said to be precarious &
has the improved very rapidly.

16 A D S R is also sent

(Dewan)

By
15/4

By letter just rec^d from the President
requesting that for being aware of the
plant charges on the value of the stores included
in the Estimate is placed in the file

W.A.N.'S

APR 15 1910

5560

(Dewan) The change cannot
be split up in 2 parts
of the cost of the work
PTO

Notes—Contn. sheet

By
15/4

G R S III 21

General and Revenue
Secretariat

26 File No. 42 of 19 22

Serial
No

19 That the fence of last year
kept free & was free
the last at - 27/8 -
to the 'est' may come to -
much less - Please estimate
from CE unofficially

That about the layer
est 14 3-25-1200

16/11

subd to
Deewan with a full
note by
17/4

0 69
REVENUE & JUDICIAL
17 APR 1922
LOCAL SELF GOVT.
BRANCH

21 Forwarded unopposedly to the Chief
Engineer with Compliments for favour
of noting the information desired above
and revising the estimate further, in
the light of present rates

Pragannaunthun
Revised & signed
(in charge)

Enaffd no 150/pw
17-4-1922

17-4-22

urgent
re) Bora fit the estimate & send by the
Sd. Secy. Genl
17/4/22

17/4/22

NOTE—Contn sh

T.O.

3 R S III-2]

General and Revenue
Secretariat

1345 8
AC File No. 42 of 1920

Serial
No

fl no 150/pued
17/4/1922

1 JUN 1922
7

REVENUE & MUNICIPAL DEPT. 'BIAT'
22 JUN 1922
LOCAL & I.F. DEPT.
Mysore

Returned with compliments-

3) The estimate for the supply of materials and for labour amounts to Rs 85,511 including contingencies against the original provision of Rs 98,145 To this the usual establishment and tools and plant charges at 18% amounting to Rs 15,392 has been added according to the rules The total amount of the estimate as modified is Rs 1,00,903-

3 According to the resolution of the Municipal Council, the provision made for improving water supply to ^{the} Guttahalli and certain places in the Chamarajpet xtension has been omitted-

Madambe
Chief Engineer of Mysore

Camp Mysore,

19 June 1922

6345

7

G. R. S III 2]

General and Revenue
Secretariat

File No 42 of 19 20

Serial
No

The estimate as modified in
Chief Engineer's Office amounts to Rs 1,00,9
inclusive of the Establishment and Tools
and Plant charges

25.4.25 already in the file
is submitted for approval with
view of the amount of the estimate to
finally adopted made known

22.6.23/6 (per Secy)

23/6

27/Dec 28 approved

28/6

30.6

DEVIANS OFFICE.

Recd on JUN 29 1922

313

8

Submitted to His Highness

1/ These papers relate to duplicating the water supply main from the Yelahanka Gate up to the Circle in the Basavangudi extension Bangalore City. This work is proposed to be undertaken in connection with water supply to the new Visvesvarapuram Extension. It will also improve the water supply to Basavangudi and other eastern extensions of the City, as the single delivery main now in service is not able to cope with the increased demand in those areas.

2/ The total cost of the estimate including establishment and tools and plant charges amounts to Rs 1,00,903. The Bangalore City Municipal Council have agreed to meet the entire cost. The estimate may be graciously approved.

Bangalore
30th June 1922

[Signature]
JUB

6345

Record of Cases submitted for the Orders
of His Highness the Maharaja

Subject



1 Estimate amounting to Rs 1 00 903/-
for duplicating the water supply main from
the Yelahanka Gate up to the Circle in the
Basavangudi Extension Bangalore Ci ,

2

Order

2) *KRM*
3/7/22

33 *P. Ramesh*
47
1 JUL 1922

34 *Done order*
47
35 *draft please*
572/m

6245
60

G. R. S. III-2)

General and Revenue
Secretariat.

File No. 42 of 19 24

Serial
No.

36 Draft is filed for appl.

5.7.22
We

Issue
47/22

13 JUL 1922
LOCAL SELF GOVT
SECRETARY

53

To the Chief Eng^r
the Resident, Bangalore
Camp No. 10 to 100

No. L 137-139 / of 8-7 22

Sanction the revised estimate
amtg to Rs 1,00,903/- for duplicating
the water supply main from the
Yellahanka gate to the Circle in
the Raoanagar Extension.

93

13068

No 140
Encls *One*

OFFICE OF THE CHAIRMAN CITY IMPROVEMENT COMMITTEE

Date Bangalore 22nd October 1921

From

DEWAN BAHADUR RAJA SABHA BHUSHANA

K P PUTTANNA CHETTI CIE BRANCH

Chairman City Improvement Committee

Bangalore

REV 22 OCT 1921
2248
LOCAL S L I.
BRANCH

25 OCT 1921

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
Revenue Department BANGALORE

Jul 42-20-45

SIR

With reference to your letter No L 1362/M1 42-20-44 dated the 6th September 1921 re the ways and means to meet the charges for water supply in the revised estimate for laying the Visvesvarapuram Extension I have the honour to submit herewith, for the information of Government a copy of letter No 723 dated the 17th instant received from the Honorary President City Municipal Council forwarding a copy of the Municipal Council's resolution dated the 3rd instant agreeing to bear the entire cost for laying a duplicate water-main for supplying water to the Visvesvarapuram Extension and for improving the water supply of the other Extensions

2 I may however bring to the notice of Government that, owing to the substantial fall in the price of iron and steel at present the estimate for Rs 1,50,000/- originally prepared by the Water Supply Department seems capable of being considerably reduced I would like to invite your kind attention to para 2 of the Honorary President's letter in this connection and request that you may be pleased to order the revision of the said estimate as early as possible and to forward the same for the information of the City Improvement Committee

(12)

- 2 -

and the Municipal Council In the meantime, the duplication of the main may be ordered to be put in hand

3 I request that Government may be pleased to sanction the revised estimate regarding other items, reserving the provision for water supply to be settled after the revised estimate is prepared

I have the honour to be,

Sir,

Your most obedient servant

W. H. A. A. A. A.

Chairman
City Improvement Committee
Bangalore

r

P. S.

(13)

Copy of letter No 723 dated 17th October 1921 from the Honorary President, City Municipal Council, Bangalore to the Chairman, City Improvement Committee, Bangalore.

With reference to your letter No 78 dated 7th September 1921, enquiring whether the Municipal Council are prepared to bear 5/6 of the cost of the water main required for the Visvesvarapuram Extension I have the honour to forward herewith for further action a copy of the resolution of the Council dated 3-10-1921, stating that the total cost of the water main to be met from the Municipal Funds as the Visvesvarapuram Extension is a Municipal concern and as the necessity for better water-supply to other extensions is keenly felt

I beg to add that the original estimate was prepared when the cost of materials was very high that the same may now be revised at the present market rates and that the sanction of Government obtained to carry out the work

Sd B K Garudachar,
President

Proceedings of an Ordinary General Meeting of the City Municipal Council Bangalore, held on Monday the 3rd ~~September~~ ^{October} 1921 at 8 A M in the Council Chamber

x

x

x

14 Letter No 78 dated 7th September 1921 from the Chairman City Improvement Committee enquiring whether in view of the fact that the City Improvement Committee has agreed to bear only 1/6 of the total cost of Rs 1,50,000 for a duplicate water main required for the Visvesvarapuram Extension, the Municipal Council are prepared to bear

the remaining 5/6 of the cost of the main in view of the fact that the additional main will improve the supply of water to the western portions of Chamarajapet, Shankar-pur and Southern part of Basavanagudi Extension

Resolution -- Resolved that the total cost be met from Municipal Funds as the Visvesvarapuram Extension is a Municipal concern and as the necessity for better water-supply to other Extensions is keenly felt

Sd B K Garudachar
President

" C o p i e s "

B. K. Garudachar
Chairman,
City Improvement Committee,
Bangalore

ms

ms

28693

No 188

Encls one

OFFICE OF THE CHAIRMAN CITY IMPROVEMENT COMMITTEE

Dated Bangalore 20th Dec. 1921

21/12

(15)

REV. SECTY
DEC 1921

From

DEWAN BAHADUR RAJA SARHA BHUSHANA

K P PUTTANNA CHETTI C.F.

Chairman City Improvement Committee

Bangalore

ml
42 20
47

RCVE JE & DIGITAL
3526
2 DEC 1921
LOCAL BRANCH

To

C Venkata Rao Esq B A ,
Secretary to the Government of His Highness the
Maharajah of Mysore,
Revenue Department,
Bangalore

SIR

In continuation of my letter No 140 dated the 24th October 1921 re the ways and means ~~of~~ to meet the cost of water supply to the Visvesvarapuram Extension, I have the honor to forward herewith for the information of Government, a copy of the resolution of the City Improvement Committee dated the 15th instant I would request that Government may be pleased to order the work of laying of the duplicate water main and the distribution pipes being expedited, as several houses have already sprung up and been occupied and several others are in course of construction The residents of the occupied houses have petitioned that they are experiencing much hardship for want of water

I have the honor to be,

Sir,

Your most obedient servant,

K P Puttanna Chetti

Chairman,
City Improvement Committee,
Bangalore

48

16

Extract from the Proceedings of the Bangalore City
Improvement Committee at the meeting held on 15th December
1921-

x

x

x

4 Letter No L 1362 M1 42-20-44 dated 6th September 1921
from the Secretary to Government, Revenue Department request-
ing to ascertain and report whether the Municipal Council
are prepared to bear the remaining 5/6 of the total cost of
Rs 150000/- of laying a duplicate water main to the Visvesva
rapuram Extension

Letter No 723 dated 17th October 1921 from the President
Municipal Council, Bangalore forwarding a copy of the Munic-
pal Council's resolution dated 3rd October 1921 agreeing to
bear the entire cost of the main

Also Chairman's reply No 140 dated 24th October 1921 to
the Secretary to Government Revenue Department in the matter

Resolution -- Government be requested to expedite the
laying of the duplicate main and the distribution pipes in
the Extension

Sd K P Puttanna Chetty,
Chairman,
City Improvement Committee,
Bangalore

C O P Y


Chairman,
City Improvement Committee,
Bangalore



36685

WP 1373—GPB—5 000—25 1 22

No

B6875

MYSORE PUBLIC WORKS DEPARTMENT
CENTRAL OFFICE,

Dated Bangalore

14 March 1922

2 copies of Letter
1 Calculated Estimate,
1 Report
1 Estimate for Rs 1535/-
1 Estimate for Rs 97,155/-
1 Blue Print

LOCAL BRANCH
38 70007

16 MAR 1922

S CADAMBI, Esq.,
Chief Engineer of Mysore, Bangalore

ml
4824
at 4-2-20

The Secretary to Government,
Revenue Department, Bangalore

SIR,

With reference to concluding para of this office U O No 130
P W D dated the 14th March 1922, I have the honour to forward
herewith, for favour of sanction, an estimate amounting to --
Rs 97,155 for duplicating the water supply main from Yelhanka
Gate upto the Circle in the Basavangudi Extension The work
is proposed to be undertaken in connection with the water --
supply to the Visveswarapuram Extension As regards funds
required for the work, copies of the marginally noted references

Letter No 237 of the 9th February 1922) received from
Letter No 1474 of the 4th February 1922)
----- the President
of the City Municipality and the Chairman of the Trust Board --
agreeing to bear the entire charges between themselves are here
with enclosed for information

2 Establishment and Tools and Plant charges at 17½% and ½%,
respectively, will have to be added on to the estimate, as the work
has to be undertaken by the Public Works Department, which will
bring

bring the estimated amount to Rs. (14500/-)

I have the honor to be

Sir,

Your most obedie

FOR CHIEF ENGINEER OF MYSORE

7/2

A.N/10-3.

Letter No.257 dated the 9th February 1922 from the Chairman,
City Improvement Committee, Bangalore, to the Superintending
Engineer, Sanitary Circle, Bangalore.

+++++

With reference to your letter No.2004 dated the 24th January
last, I have the honour to return herewith, duly countersigned
by the President, Municipal Council, Bangalore City, and myself,
the detail estimate amounting to Rs.97,155/- received with the
above, for duplicating the water main from the Yelhanka gate up
to the Circle of the Dasavangudi Extension, together with the
report and the plan accompanying the same.

2. The cost of the estimate for duplicating the main will be
met partly from the sale proceeds of sites in the Visvesvarapuram
Extension and partly from the general funds of the Municipality.
The cost of the other estimate for Rs.1,535/- will be met entirely
from Municipal funds.

3. I also enclose for your information, a copy of letter No 1474
dated the 4th instant received from the President, City Municipal
Council, in which he says that funds will be deposited with the
Water Supply Department from time to time, according to requirements.

4 The estimate for Rs 1,535 for improving water supply to ---
Guttahalli and other places, has been retained by the President,
Municipal Council, for necessary action But this need not delay
the sanction of the larger estimate.

5. I request that you will be so good as to obtain the necessary
sanction, very early, and go ahead with the work.

+++++
"Copy"

A.N/10th

7, *Dasavangudi*
Assistant Secretary to Government,
P.W. Department.

Letter No. 1474 dated 4th February 1922, from the President, City Municipal Council, Bangalore, to the Chairman, City Improvement Committee, Bangalore.

+++++

With reference to your letter No. 219 dated 25th January 1922, re. the estimates for water main to supply water to the Visvesvarapuram Extension, I have the honour to return herewith duly countersigned the estimate for Rs. 97,155 for supplying water to the Visvesvarapuram and to request you to kindly arrange for the early execution of the work.


2. As regards the payment of the cost, arrangement will be made to deposit with the Water Supply Department funds from time to time according to their requirements. Another estimate

for Rs.1,535 for improving water supply to Guttahalli village,
requires the sanction of the Council and necessary action will
be taken in the matter.

3. The other enclosures received with your letter are herewith
'returned.

+++++

" Copy "


Assistant Secretary to Government,
Public Works Department.

A.N/10-3.



No 2534965

OFFICE OF THE CHAIRMAN CITY IMPROVEMENT COMMITTEE

Dated Bangalore 23rd Feb 1922

REV
5 FEB 1922

From

DEWAN BAHADUR RAJA SABHA BHUSHANA

K P PUTTANNA CHETTY C I F

Chairman City Improvement Committee

Bangalore

To

C Venkata Rao Esq B A ,
Secretary to the Government of His Highness the
Maharajah of Mysore, Revenue Department,
Bangalore

SIR

In continuation of my letter No 26 dated 1st August 1921 resubmitting the revised estimate of the visvesvarapuram Extension with necessary details wanted by the Chief Engineer, and in continuation of my subsequent letter No 140 dated 24th October 1921 reporting the ways and means to meet the extra provision required to give water supply to the Extension I have the honor to request that you may be so good as to move the Government to accord early sanction to the revised estimate to facilitate further progress in the work

2 Regarding the water supply to the Extension, I beg to report that an estimate for Rs 97 155 for laying the duplicate main was received from the Superintending Engineer Sanitary circle This was returned to him on 9th February 1922 with my letter No 237 and duly countersigned by the Municipal President and myself, with an undertaking to place the necessary funds at the disposal of the Water Supply Department Subsequently, another estimate for Rs 53 980 for water supply distribution in the Extension was received from the Executive Engineer Water Supply Division This was countersigned by me and sent on 17th February 1922 to the President, City Municipal Council, for his approval I expect to get this back in a few days and return it to the Executive Engineer, for further action

(24)

- 2 -

The two above estimates aggregate Rs 1,51,135/- Out of this, the cost debitable to the Extension is 1/6 of Rs 97 155 ♦ Rs 53,980, or Rs 70,172/-, the rest being met out of the general revenues of the Municipality, as already resolved by the Municipal Council. Against the cost debitable to the Visvesvarapuram Extension, viz Rs 70,172/-, a provision of Rs 60,000/- was made in the revised estimate upon the figures then available. The additional Rs 10,000 may easily be met out of the Extension funds. I request that Government may be pleased to pass early orders on the Water supply estimates to enable the Department to ~~start~~ start the work early. Complaints regarding water difficulty are being constantly received both by the President City Municipal Council and by me from people who have built houses and occupied them.

3 The construction of underground drainage of the Extension is not yet taken up for want of sanction of the detail estimate included in the general revised estimate. If the underground drainage is provided the open drains in the conservancy lanes will be superfluous and so the construction of the latter, at a cost of Rs 22,257 is kept in abeyance with the result that the residents who have already occupied houses built are complaining of the stagnation of sewage behind their houses. Either the underground drains or open drains in the conservancy lanes, as may be decided upon must be urgently taken up to prevent insanitation.

4 The other need of the Extension is the installation of electric lights. I enclose for the information of Government a copy of my letter No 223 dated 30th January 1922 to the President City Municipal Council on a reference from him on the subject, which will show how necessary the putting up of street lights is for the safety of persons and property of those living in the Extension. The scheme for electric lighting with 81 lights, prepared by the Superintendent Bangalore Power and Lighting, was approved by me and returned to him on 28th September 1921. An

(23)

Copy of letter No 223 dated 30th January 1922 from the
Chairman, City Improvement Committee Bangalore, to the President
City Municipal Council, Bangalore

With reference to your letter No 1241 dated 13th January 1922 to the Executive Engineer City Improvement Division forwarding copy of D O letter No 371 dated 6th January 1922 from the Secretary to Government, Public Works Department, regarding the question of providing electric street lights to the Visvesvarapuram Extension and calling for certain information I have the honor to bring to your notice that there does not seem to be room for two opinions as to the necessity of immediately providing electric lights to the Extension. Out of the 467 sites in the Extension, 25 buildings are completed in scattered areas and in 35 sites, out-houses are completed and they are occupied or being occupied. In 32 sites buildings are in rapid progress and material is ready in 105 sites. So that in 197 sites out of 467 sites, there is need for safeguarding person and property of the purchasers of sites. I have received many complaints of thefts in the Extension due to want of street lights. The above, I believe, is sufficient to show the urgent necessity for providing electric lights. Besides the purchasers, having paid fairly high prices for the sites which will pay for all the expenditure needed in the complete formation of this Extension, I think the Municipal Council should feel a moral obligation to provide the necessary amenities, the most important of which are water and electric light. The buildings already put up also require house connections. The lighting of the streets of this Extension will act as an incentive to house builders. The Municipality will pay the usual royalty of Rs 30 per light. I would therefore request you to make a strong case of the necessity for providing electric lights in the Visvesvarapuram Extension, as early as possible, and request Government to sanction the estimate for Rs 22 728 prepared by the Electrical Department.

BJECP ✓

Diary No. of letter replied to 5724

Section nl

File No 42-10

Serial No 50

General and Revenue Secretariat

(nl)

the

191

No. 2 562/8ue estimates, pt

Date of issue 25322

To

Mr. President

Signed by Mr. D C S

Mr. G. S. Chelvanayakam

Sir,

In forwarding herewith
an estimate amounting to
Rs 97,155/- with a plan and
papers received from the Chief
Eng^r for duplicating the
supply main in connection
with the water supply to the
Vengalooram

over

I am directed to state that,
 as the execution of the work has
 to be undertaken by the P.W.D.
 Establishment and Tools and
 Plant charges at Rs 14/10 and 2/-
 respectively, will have to be
 added on to the estimate, which
 which will bring the estimated
 amount to Rs 1, 14, 6 1/2/- and
 to request ^{you} to be so good as
 to ~~approve and sanction~~
~~sanction of Rs 14/10 and 2/- for the~~
~~sanction of the above estimate~~ ^{which} is agreeable to you
~~for the above estimate~~
~~and of Rs 14/10 and 2/- for the~~ ^{amount of the} as desired

List of enclosures.

The estimate with the
 paper. Revenue must be
 returned. After discussion, if the
 same.

I have to

For
 Sd/-
 20/3/22

Copied by
 Examined by

20. 3. 22

50256

OFFICE OF THE CITY MUNICIPAL COUNCIL

(26)

No 227Bangalore City dated 11th April 1922

Encls —

1 Estimate
1 Report
1 Plan
1 copy of M.C. Council's resolution

X 6845

From

ANANDA RAO SIRSI Esq P A LL B

~~XXXXXXXXXXXXXXXXXXXX~~

President Municipal Council

BANGALORE CITY

15 APR 1922
LEGAL DEPT. GOVT.
BANGALORE

REV. SEC.

APR 1922

[Signature]

AL 42-20-51

To

A V Ramanathan Esq P A

Secretary to the Government of

His Highness the Maharaja of Mysore

Revenue Department Bangalore

Sir

With reference to your letter No L 5562/M 42-20-50 dated the 25th March 1922 enquiring whether the Municipal Council is agreeable to bear the establishment and Tools and Plant charges at 17½ and ½ per cent respectively to be added on to the estimate amounting to Rs 97 155/- for duplicating the water supply main to the Visvesvarapura Extension I have the honor to submit herewith for the information of Government a copy of the Municipal Councils resolution dated the 3rd instant sanctioning the extra charge towards Establishment and Tools and Plant In calculating the charge of 18 % I beg to point out that it might be calculated on Rs 95 620/- the total amount of the estimate for duplicating the main but not also on Rs 1535/-, being the estimated cost of linking the Chamarajpet 5th road which latter work and estimate the Managing Committee in their resolution dated 18th February 1922 (vide copy enclosed) have considered to be unnecessary, at present

2 With this modification the amount of the revised estimate will be (Rs 95 620 plus 18 % on Rs 95 620) or Rs 112 824

3 I request that you may be so good as to move the Government to accord early sanction to the revised estimate and

issue

From

To

Dated

Despatched

Received

General No _____
No

Enclosure No

issue orders to the Public Works Department to take the work on hand early

4 The estimate received with your letter together with the papers accompanying the same is herewith resubmitted

I have the honor to be

Sir

Your most obedient servant

Wm. A. R. R. R. R.
President
1899

HRS-11

(5)

U.S. AIR FORCE 3rd AF 1922, 19

□□□

2 B. Abdul Rahman, '09, B.A. (Honorary Vice-President).

inter-

A _____ y F

Page 2 of 2

X

dated 25th March 1922, calling for the views of the Municipal Council ^{on} ~~for~~ the revised estimate for Rs 1,14,642/- against the original estimate of Rs 97,155/- for a duplicate water supply main in Visvesvarapuram Extension

□ □ □ □

B Abdur Rahmon, Esq , B A , Vice-President in the
H Krishnasappa, Esq , B A , Chair,
B V Krishna Iyengar, Esq .
B Chinnaswami Chetty, Esq .
M Subbiah, Esq , B A.,

Absent

G.B.S. VI G-34

SUBJECT

Diary No. of letter replied to...

6845

General and Revenue Secretariat

(2)

the

192

Date of issue.

8.17.12..

Signed by C. Subbarayappa

May this be

- i Printed ?
- ii treated as a standing order ?
- iii published in the Gazette, English Part ?
- iv translated ?
- v placed at the disposal of the press ?
- vi published in the Gazette, Kannada Part ?

Section n (

File No 42-20

Serial No. 53

Proceedings of the Government of
His Highness the Maharaja of Mysore

Read-

Letter No. B.6875 of the 14th
March 1922 from the Chief
Eng. of Mysore forwarding
for sanction an estimate
amounting to Rs. 94,150/- for
duplicating the water supply
main from Chelavara
Gate upto the Circle in the
Mysore Division and
stating that the work is proposed
to be undertaken in connec-
tion with the water supply
to the Vennarapuram
Division and that the cost is

charges will be borne by the
mully and adding further
that the establishment and
tools and Plant charges will
have to be added on to the
estimate, as the work has to
be undertaken by the P. S. D.,
which will bring the estimated
amount to Rs. 14,542/-

2. Correspondence with
letter No. 2279 of the 11th April 1942
from the President, Bangalore
City Council, submitting
a copy of the resolution of the
City Council approving to bear
the extra charge towards esta-
blishment and tools and plant
charges and stating that
the estimate after including
these charges will amount
to Rs. 1,12,531/- and suggesting
only sanction there to.

3. Letter No. 290 of the 15th
April 1942 from the Deputy
Commissioner on the subject

Lost of enclosures.

Copied by

Examined by

G R S 6/33]

GENERAL AND REVENUE
SECRETARIAT

(Continuation sheet draft form)

including Recanal
establishment and tools
and Plant charges

4 U. P. No. 150/PWD
of the 19th June 1922 from
the Chief Eng^r of Mysore
modifying the estimate,
for Rs 1,00,903/- and stating
that the revenue made for
improving water supply to
Guthahalli and certain
other places has been ordered
as resolved by the Canal
Council.

Order No. L 137-139
817 m

The modified
amounting to Rs 1,00,903
is sanctioned, the charge
being met entirely from
Canal Funds

7/11
5-7-22
Kd

4/7/22
Rao-Singh

The Chief Eng^r of Mysore
is to be sanctioned &
given to the
Mysore Canal
Department

